

Technical data sheet

Power Contact Cleaner

Reference: 32526

1. General description

Exclusive cleaner for electrical equipment. A balanced solvent blend combined with an optimized spray power provide an exceptionally fast and efficient cleaning. The superior wetting properties allow cleaning of most contamination and offer a high compatibility with technical plastics.

2. Features

- No ozone depleting action.
- Does not leave a residue.
- Non corrosive.
- Non conductive.
- Safe on all metal surfaces, does not stain.
- Safe on most rubbers, plastics and coatings. Test on sensitive or stressed materials before use.
- Convenient 360° (including inverted position) spray valve for aerosols.
- High purity CO2 propellant, giving an active product content of 95%.

3. Applications

- Fast cleaning action for removal of flux traces, light oils, finger prints and other contaminants.
- Electro-mechanical assemblies.
- Control assemblies.
- All electrical contacts.
- Electronic components.
- Printed circuit boards.
- Sensors.

4. Directions

- Spray liberally and allow to run off.
- Use extension tube for more precise application.
- Use only with adequate ventilation.
- Test before use on sensitive materials.
- Do not use on energized equipment.
- Do not use on sensitive electronic equipment.
- Allow to dry completely before reactivation.



Manufactured by:

CRC Industries Europe byba

Touwslagerstraat 1 9240 Zele Belgium Tél.: (32)(0) 52/45.60.11 Fax : (32)(0) 52/45.00.34

www.crcind.com





Technical data sheet

Power Contact Cleaner

Reference: 32526

- Protect and re-lubricate if necessary.
- To remove oxide and carbon deposits, use an abrasive and rinse off intermittently with CRC Contact Cleaner.
- \bullet A safety data sheet (MSDS) according to EC Regulation N° 1907/2006 Art.31 and amendments is available for all CRC products.

5. Typical product data (without propellant)

Appearance Liquid.
Color Colorless.

Density 0.677 g/cm3 (@ 20°C).

Flash Point $-26 \,^{\circ}\text{C}$ Auto Ignition temperature $> 200 \,^{\circ}\text{C}$ Vapor density > 1

6. Packaging

Aerosol 12x500 ML Ref. : 32526

All statements in this publication are based on service experience and/or laboratory testing. Because of the wide variety of equipment, conditions of use and the unpredictable human factors involved, we recommend that our products are tested on-the-job prior to use. All information is given in good faith but without warranty neither expressed nor implied. This Technical Data Sheet may already have been revised as a result of a change in legislation, availability of components or newly acquired experiences. The latest and only valid version of this Technical Data Sheet will be sent to you upon simple request or can be found on our website: www.crcind.com We recommend that you register on our website for this product, thus enabling you to automatically receive any future updates.

Version CRC_GREEN-POWER_CONTACT_CLEANER-20150826

Date



Manufactured by :

CRC Industries Europe byba

Touwslagerstraat 1 9240 Zele Belgium
Tél.: (32)(0) 52/45.60.11 Fax : (32)(0) 52/45.00.34

www.crcind.com

